

MATERIAL SAFETY DATA SHEET

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements

U.S. DEPARTMENT OF LABOR

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)

WAX-TAPE PRIMER

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name

The Trenton Corporation

Emergency Telephone Number

734-426-3955

Address (Number, Street, City, State, and ZIP Code)

7700 Jackson Road

Telephone Number for Information

734-426-3955**Ann Arbor, Michigan 48103**

Date Prepared

October 31, 2003

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identify Information

Hazardous Components (Specific Chemical Identity; Common Name(s)) OSHA PEL; ACGIH TLV;
Other Limits Recommended; % (optional)

No component is present at sufficient concentration to require a hazardous classification.

Section III - Physical/Chemical

Boiling Point

Not DeterminedSpecific Gravity (H₂O = 1)**Less than 1 - .90-.96**

Vapor Pressure (mm Hg.)

Not Determined

Melting Point

Pour Point 100°F-110°F

Vapor Density (AIR = 1)

Not Determined

Evaporation Rate (Butyl Acetate = 1)

Non-Volatile

Solubility in Water

Negligible

Appearance and Odor

Brown paste with bland oil odor.**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used)

Open Cup 350°F minimum

Flammable Limits

Estimated

LEL

.9

UEL

7.0

Extinguishing Media

Carbon Dioxide, Foam, or Dry Chemical.

Special Fire Fighting Procedures

Treat the same as an oil fire.

Unusual Fire and Explosion Hazards

In the presence of strong oxidants and a source of ignition, burning can occur.

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	

Incompatibility (*Materials to Avoid*)**Avoid strong oxidants**

Hazardous Decomposition or Byproducts

Burning will release CO, CO₂ and other hydrocarbon byproducts.

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? Unlikely	Skin? Possible	Ingestion? Possible
--------------------	--------------------------------	--------------------------	-------------------------------

Health Hazards (*Acute and Chronic*)**No known health hazards**

Carcinogenicity:	NTP? Not Listed	IARC Monographs? Not Listed	OSHA Regulated? Not Regulated
------------------	---------------------------	---------------------------------------	---

Signs and Symptoms of Exposure

Medical Conditions Generally Aggravated by Exposure **None Known**

Emergency and First Aid Procedures **FIRST AID: SKIN: No reaction expected. EYES: Water wash. INHALATION: No reaction expected. INGESTION: Do not induce vomiting unless to prevent asphyxiation. Consult physician.**

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Scrape up and clean residue with petroleum solvents and/or hot spray wash.

Waste Disposal Method

Dispose in accordance with all applicable landfill regulations.

Precautions to be Taken in Handling and Storing

Store away from heat and oxidant

Other Precautions

None**Section VIII - Control Measures**Respiratory Protection (*Specify Type*)**Not Required**

Ventilation	Local Exhaust Not Required	Special Not Required
	Mechanical (<i>General</i>) Should be Adequate	Other Not Required

Protective Gloves

Oil resistant gloves recommended

Eye Protection

Not Required

Other Protective Clothing or Equipment

Not Required

Work/Hygienic Practices

General hygiene practices are adequate

* The information herein is given in good faith. However, no warranty, expressed or implied, is made regarding this data.